



# FN LIVING DESIGN



**NEUHOFFER**

WE. KNOW. WOW!

<b>FN ACUSTICO</b> Indoor	>>> Page 06
<b>FN ACUSTICO</b> Waterproof indoor	>>> Page 14
<b>FN ACUSTICO</b> Thermowood	>>> Page 16
<b>FN ACUSTICO</b> Waterproof outdoor	>>> Page 18
<b>FN ACUSTICO</b> Solid	>>> Page 20
<b>FN ACUSTICO</b> Light	>>> Page 26
<b>FN ACUSTICO</b> Basic	>>> Page 28
<b>FN ACUSTICO</b> Digiprint	>>> Page 30
<b>FN ACUSTICO</b> Accessories	>>> Page 32
<b>FN ACUSTICO</b> Hexago	>>> Page 36
<b>FN WALLY</b> MDF	>>> Page 40
<b>FN WALLY</b> Tiger	>>> Page 44
<b>FN SHAKER STYLE</b>	>>> Page 46



## FN LIVING

Modern wall design with additional benefits is important in today's fast-paced and noisy world. Acoustic panels create peace and quiet in your own home, while various wall panelling systems enhance the room and create a cosy ambience. And the DIY concept is not neglected either. You can fill, glue, paint and realise your own creativity.

WE. KNOW. WOW!



## FN | ACUSTICO

Indoor

### Functional design for every room

You have probably heard of the saying "Design follows function", sometimes ironically changed to "Function follows design".

Where the FN acoustic panels are concerned, none follows the other. Here, design and function are matched precisely, creating a design element with a double impressive effect for every room. And it gets even better – this shapely, functional product is also sustainable.

#### Fields of application:

##### In private surroundings:

- Living room – perfect for your office at home
- Hall stand and hallway
- Bedroom
- Children's room
- Music room
- Dining room
- Bathroom
- Weather protected outdoor area

##### In professional surroundings:

- Hotel business/catering trade
- Service providers/waiting rooms
- Canteens
- Offices
- Decorative shop design
- Showrooms
- Customer areas in official buildings, ...

# Facts, Facts, Facts ...

## Size matters

Different applications require different sizes. We have the most important ones. And others on request.

### Thickness 19 mm:

- >>> 572,5 x 2670 mm / 22-9/16" x 105-1/8"
- >>> 572,5 x 2400 mm / 22-9/16" x 94-1/2"
- >>> 572,5 x 1195 mm / 22-9/16" x 47-1/16"
- >>> 560 x 560 mm / 22-9/16" x 22-9/16"


### Thickness 11 mm:

- >>> 292,5 x 2670 mm / 11-1/2" x 105-1/8"




## MIX and MATCH using digital printing

In-house digital printing on foil or veneer opens up new possibilities in wall design. Acoustic panels with the same decor as the flooring in the room, plus skirting boards with the same decor - this offers a special quality of living!




## 2 different surfaces

>>> foiled >>> veneered



## It gets quiet

**Sound insulation:** Reduces noise by up to 25%  
Weighted noise absorption coefficient:  $\alpha_w = 0.25$   
Tested in accordance with EN ISO 354 and EN ISO 11654.  
With a sub-structure of approx. 10 cm, soundproofing is increased to 60%:  $\alpha_w = 0.60$ .




## Base Material

Polyester felt is ideal when it comes to reducing annoying noises. The incoming sound waves get caught in the fibrous structure and are only reflected by the wall to a reduced extent.



Consisting of PET fibres with a **recycling rate of up to 60%** (recycled PET bottles)



## And lots of accessories

Whether it's a wardrobe, kitchen, room or office, there's always something to hang up, organise or make a note of. And accessories such as hooks, wall boards and shelves have been developed for this purpose. And, of course, adhesive and screws in black and grey to match the felt colour for mounting the panels.





# FN ACUSTICO

Decors

White Paint-On - sim. RAL 9016 foiled



Beige - sim. RAL 1013 foiled



Light grey - sim. RAL 7035 foiled




Black - sim. RAL 9005 foiled




Grey - sim. RAL 7016 foiled




Grey green foiled



Baby blue foiled



Baby rosa foiled



**Oak** veneered




**Walnut** veneered



**Dark-grey Gerecon** veneered



**Black oak** foiled



**Smoked oak** veneered




**Ash** veneered




**Oak natural** foiled



**Vintage** foiled




**Cork** veneered



**Walnut lacquered** veneered



**Concrete** foiled



**Zebrano** foiled



**Oak Gerecon** veneered




**Walnut Gerecon** veneered



**Oak haptic** foiled



**Silver brushed** foiled




**Smoked oak Gerecon** veneered




**Silver-grey Gerecon** veneered



**Gold brushed** foiled



**Copper** foiled





# FN | ACUSTICO

Waterproof Indoor

## Functional design for every room

Plastic slats and a decorative plastic film make the product perfectly suitable for all indoor applications that must not be sensitive to moisture.

### Base material:


Consisting of PET fibres with a **recycling rate of up to 60%** (recycled PET bottles)

**Sound insulation:** Reduces noise by up to 25% Weighted noise absorption coefficient:  $\alpha_w = 0.25$  Tested in accordance with EN ISO 354 and EN ISO 11654. With a sub-structure of approx. 10 cm, soundproofing is increased to 60%:  $\alpha_w = 0.60$ .


### Fields of application:

- Bathroom
- Spa area
- Wine cellar
- Laundry room
- Wardrobe

Oak medium WP foiled



Oak dark WP foiled




Oak WP foiled



Oak rustic WP foiled



Concrete WP foiled







# FN | ACUSTICO

Thermowood

## Real wood for outdoor use.

The advantage of thermally treated wood is that it is more resistant to outdoor use than untreated wood, as all of the wood components that are attractive to fungi and insects are removed during thermal treatment.

It remains wood and has a pleasant, warm appearance, but turns just as grey as untreated wood when exposed to direct weathering - only with a slight time delay.

### Product advantages:

- Real wood slats, thermally treated spruce/pine wood
- High weather resistance
- Resistant to fungi and insects
- Long outdoor durability
- Low swelling and shrinkage behaviour

### Fields of application:

- Winter garden
- Pergola
- Balcony
- Terrace





# FN | ACUSTICO

Waterproof Outdoor

## The robust variant.

Aluminium is durable, strong and water-resistant. This makes this variant suitable for use in all areas in and around the home.

For a cool premium look in various matt anodised colours and for a classic look coated with various woodgrain plastic foils, which are also suitable for outdoor use.

### Base material:

Consisting of PET fibres with a **recycling rate of up to 60%** (recycled PET bottles)

**Sound insulation:** Reduces noise by up to 30% Weighted noise absorption coefficient:  $\alpha_w = 0.3$  Tested in accordance with EN ISO 354 and EN ISO 11654. With a sub-structure of approx. 10 cm, soundproofing is increased to 70%:  $\alpha_w = 0.70$ .


### Product advantages:

- Robust and waterproof
- Surfaces anodised or coated with plastic film
- Waterproof
- UV-resistant outdoor films

### Fields of application:

- House facade
- Terrace
- Balcony
- Winter garden
- Outdoor kitchen
- Bathroom


BLACK



BRONZE




INOX




GOLD




Oak medium WP foiled



Oak dark WP foiled



Oak WP foiled



Oak rustic WP foiled



Concrete WP foiled





# FN | ACUSTICO

Solid Larch

## Durable and weatherproof.

Larch is the most resistant of the domestic softwoods for outdoor use. It is therefore ideal for use on balconies and terraces, but also indoors. The slightly reddish coloured wood has a warm character and a pleasant aromatic smell. For all wood lovers.

### Base material:

Consisting of PET fibres with a **recycling rate of up to 60%** (recycled PET bottles)


**Sound insulation:** Reduces noise by up to 25% Weighted noise absorption coefficient:  $\alpha_w = 0.25$  Tested in accordance with EN ISO 354 and EN ISO 11654. With a sub-structure of approx. 10 cm, soundproofing is increased to 60%:  $\alpha_w = 0.60$ .

### Product advantages:

- Weather-resistant slats
- Real wood slats, untreated, European larch
- Aromatic odour, natural look
- Suitable for sheltered outdoor areas, e.g. veranda, conservatory, pergola, balcony, terrace

### Fields of application:

- Veranda
- Winter garden
- Pergola
- Balcony
- Terrace





## FN | ACUSTICO

Solid Pine

### Solid wood for everyone.

Pine is the easiest way to get solid wood acoustic panels. The real wood character, paired with a slightly knotty look and pleasant wood odour give the room a pleasant atmosphere.

#### Base material:

Consisting of PET fibres with a **recycling rate of up to 60%** (recycled PET bottles)

**Sound insulation:** Reduces noise by up to 25% Weighted noise absorption coefficient:  $\alpha_w = 0.25$  Tested in accordance with EN ISO 354 and EN ISO 11654. With a sub-structure of approx. 10 cm, soundproofing is increased to 60%:  $\alpha_w = 0.60$ .

#### Product advantages:

- Real wood slats, untreated, European pine
- Aromatic odour
- Natural look

#### Fields of application:

- Living room
- Children's room
- Bedroom
- Office area
- Interiors





# FN | ACUSTICO

Solid Swiss Pine

## The Queen of the Alps.

The Swiss stone pine, which is only native to the Alpine region, is a special coniferous wood that is particularly popular in the Alpine region for applications associated with health and well-being.

The slats on the acoustic panel have an intense smell of wood that can last for many months and gives the room that certain something to radiate a feel-good ambience.

### Product advantages:

- Real wood slats, untreated
- Aromatic odour, natural look
- Swiss pine wood can have a calming, stress reducing effect and can lower the heart rate

### Fields of application:

- Living room
- Children's room
- Bedroom
- Office area
- Interiors





# FN | ACUSTICO

light

## The lightweight.

The look of acoustic panels, the sound insulation of acoustic panels, but the weight of pure felt. By dispensing with MDF and using only felt and veneer as a surface, the result is a very lightweight panel that is therefore ideal for online shipping, etc.

### Base material:

Consisting of PET fibres with a **recycling rate of up to 60%** (recycled PET bottles).

**Sound insulation:** Reduces noise by up to 25% Weighted noise absorption coefficient:  $\alpha_w = 0.25$  Tested in accordance with EN ISO 354 and EN ISO 11654. With a sub-structure of approx. 10 cm, soundproofing is increased to 85%:  $\alpha_w = 0.85$ .

### 3 different sizes:

560x2400x10 mm / 22-9/16" x 94-1/2" x 12/32",  
560x1120x10 mm / 22-9/19" x 44-3/32" x 12/32",  
560x560x10 mm / 22-9/19" x 22-9/19" x 12/32"

### Product advantages:

- Lightweight
- All-round felt strip makes it easier to combine small formats
- Three different sizes
- Real wood veneer surface


### Fields of application:

- Bedroom
- Living room
- Wardrobe

Oak medium veneered



Smoked oak veneered



Walnut veneered



Walnut nature veneered





# FN | ACUSTICO

## Basic

### The easy entry.

Good sound reduction, the look of the familiar acoustic panels, but a little thinner and simpler - this is the entry into the world of acoustic panels.

#### Base material:

Consisting of PET fibres with a **recycling rate of up to 60%** (recycled PET bottles)

**Sound insulation:** Reduces noise by up to 25% Weighted noise absorption coefficient:  $\alpha_w = 0.25$  Tested in accordance with EN ISO 354 and EN ISO 11654. With a sub-structure of approx. 10 cm, soundproofing is increased to 55%:  $\alpha_w = 0.55$ .

#### 2 different sizes:

292,5 x 2670 x 11mm / 11-1/2" x 105-1/8"x7/9",  
292,5 x 2670 x 17mm / 11-1/2" x 105-1/8"x21/32"


#### Product advantages:


- Simple design
- lightweight
- good length for the interior
- handy width

#### Fields of application:

- Bedroom
- Living room
- Wardrobe

Oak haptic foiled





## FN | ACUSTICO digiprint

### The acoustic panel as a picture

The absolute highlight in the field of digital printing is the direct printing of customised motifs on the FN acoustic panels. The selection of decors ranges from nature, food, gastronomy, technology and city to art and sound. So there is a suitable image for everyone. And if nothing is available, customised images can also be printed.

#### Base material:

Consisting of PET fibres with a **recycling rate of up to 60%** (recycled PET bottles)

**Sound insulation:** Reduces noise by up to 25% Weighted noise absorption coefficient:  $\alpha_w = 0.25$  Tested in accordance with EN ISO 354 and EN ISO 11654. With a sub-structure of approx. 10 cm, soundproofing is increased to 60%:  $\alpha_w = 0.60$ .


#### Fields of application:

- Bedroom
- Living room
- Wardrobe
- Interior

#### 5 different sizes in the assortment

- NO. 1 > 1 Panel** > W 573 x H 573mm / W 22-9/16" x H 22-9/16"
- NO. 2 > 2 Panels** > W 1133 x H 1195mm / W 44-17-32" x H 47-1/16"
- NO. 3 > 2 Panels** > W 1133 x H 2400mm / W 44-17-3" x H 94-1/2"
- NO. 4 > 3 Panels** > W 1693 x H 2400mm / W 66-7/8" x H 94-1/2"
- NO. 5 > 4 Panels** > W 2253 x H 2400mm / W 88-7/8" x H 94-1/2"

#### Special formats on






# A must for every panel

## Coat hook

The coat hook can be screwed into the wall between the slats of the acoustic panel. It is designed so that it can be attached to both vertically and horizontally mounted acoustic panels. With a maximum load capacity of 5 kg, you can hang up quite a lot!



## LED-Strips

A special wall design also requires special lighting. With the LED sets specially developed for the acoustic panels, i.e. black anodised aluminium track with a black transparent cover, the room can also be set in a special light and up to 4 LED strips can be connected to the transformer with adapter plugs for the EU, UK and USA.

### Lengths LED strips:

- 0,5 m / 1/32"
- 1,0 m / 1/32"
- 1,5 m / 1/16"



## Hook

The simple hook can be screwed into the wall between the slats of the acoustic panel. It is designed so that it can be attached to both vertically and horizontally mounted acoustic panels. With a maximum load capacity of 5 kg, you can hang quite a lot!



## Glue

With the right adhesive, mounting the panels is very quick and easy. To secure the panel to the wall, it should still be screwed on at the top with 2 screws. Package contents approx. 400 g / 300 ml - good for 1-2 panels.



## Letterboard

The letterboard serves as a means of communication for written messages to loved ones, it is suitable for children to draw with chalk, but is also suitable for attaching notes with magnets. 4 brackets make it very easy to screw it to the wall between the slats of the acoustic panels.



## Screws

Black screws for black felt, grey screws for grey felt, so the screws on the felt are almost invisible and the panels are securely fixed to the wall. Depending on the condition of the wall, you will need to provide your own wall plugs.



Silver screws with coloured head, 50 pcs/pkg.



Black screws, 50 pcs/pkg.






## Basic profile

Extend the acoustic plates by up to 20 cm / 25/32"


For room heights of 250 cm / 9-27/32" and 260 cm / 10-1/4", basic profiles have been designed which make installation of the panels easier, since they are installed directly on the profile previously mounted.

- Advantages:**
- Height compensation to room height
  - Facilitates cleaning in the base area
  - Elegant end profile



## Shelf

The acoustic panel conquers the room with accessories such as the shelf. With a width of 30 cm / 12" and a depth of 15 cm / 6", you can store a lot of things and make better use of the wall space. The powder-coated steel shelf is robust and versatile. The mounts are located between the slats of the acoustic panels, making it easy to screw the shelf to the wall. For vertically and horizontally installed acoustic panels





## Key rack


The practical key rack is a great addition to the range and is especially useful in the wardrobe area. A shelf at the top for small items that get in the way in a trouser pocket, with the option of hanging keys, jackets and anything with a loop underneath. The mounts are located between the slats of the acoustic panels, so the shelf can be easily screwed to the wall. For vertically and horizontally installed acoustic panels.

## End profiles

The black felt overhang of each panel, which is very useful when mounting the panels, especially when several panels are combined, can, however, spoil the appearance of the finished work. One option would be to simply cut it off. The L-shaped profile covers the excess felt, for the other side of the panel, where the last slat protrudes, a 40 mm wide felt strip is included, which is slid under the protruding slat and the L-shaped end strip is mounted on top of it again.

**Length:** 750 mm / 29-17/32" - this can also be used to make a frame around the acoustic panel and the strips can be mitre-cut





**FN** | **ACUSTICO**   
HEXAGO

### Functional design for every room


With this extraordinary wall decoration, you can bring the walls to life and create a very special atmosphere in any room in just a few simple steps. Less or more, symmetrical or asymmetrical, tightly or loosely arranged. Unpack, stick on, done.

#### Product advantages:


- Sound-reducing.
- Practical 2-piece packaging
- Easy to handle
- Size: 300 x 260 x 19 mm / 11-13/16" x 10-1/4" x 3/4"

#### Fields of application:

- Living room - ideal for 'home office'
- Wardrobe and hallway
- bedroom
- Children's room
- Music room
- Dining room



HEXAGO Q



HEXAGO L

# Facts, Facts, Facts ...

## 2 different versions


**Hexago Q:** Three-dimensional cube look

**Hexago L:** Two-dimensional striped look

### Size:

>>> 300 x 260 x 19 mm

11-13/16" x 10-1/4" x 3/4"




HEXAGO Q





HEXAGO L

## 4 Various decors



## 2 different surfaces

>>> foiled >>> veneered



## Glue

Mounting the panels is very quick and easy with the right adhesive. To secure the panel to the wall, it should still be screwed on at the top with 2 screws. Package contents approx. 400 g / 300 ml - good for 1-2 panels.




## Base Material

With the aim of providing the perfect stage for new products and offering customers and partners the best possible impression and all information at a glance, these are presented via dedicated microsites.



Consisting of PET fibres with a recycling rate of up to 60% (recycled PET bottles)



## PoS

Practical cardboard display with the space requirement of a 1/4 pallet.

Practical 2-piece individual packaging of the product.

### POS display Half pallet

135 packs Hexago  
1 pack: 2 pieces





# FN | Wally

MDF

## Decorative wall cladding

Set decorative accents or transform entire walls into extraordinary design elements in just a few easy steps: **FN Wally** makes it possible!

The easy-to-install wall cladding is available on a MDF or PVC basis in a wide variety of profile shapes and trendy decors. For the perfect finish, there are matching edging strips - of course with the same decor as the wall cladding.


### FN Wally - MDF:

- Wall panelling made of MDF with decorative foil
- Structured foils, anti-fingerprint foils, etc.
- Matching end strips for beginning and end.
- Profile length: 2670 mm / **105-1/8"**.




# Shapes and decors


**WA0100**




**WA0103**




**WA060**




**WA0103**




**WA090**




**WA0104**




**WA030**




**WA0104**




**WA070**




**WA0103**



**WA010**



**WA0104**






## FN | Wally TIGER

### Stripes like a tiger - but doesn't bite!

The decorative wall panelling in its simplest form, in the proven lamella look of the acoustic panels, MDF with digitally printed decorative film. Easy and simple installation by gluing, clever to use. This makes it easy to partially cover walls to create decorative accents.

#### Product advantages:

- Wall panelling made of MDF with decorative foil.
- Modern louvre look.
- Structured foils, anti-fingerprint foils, etc.
- Matching end mouldings for start and end.
- Profile length: 2670 mm / 105-1/8".



OAK LAMELLO foiled



WHITE foiled



OAK foiled





## FN | SHAKER STYLE WALL PANEL KIT

### Finally some real DIY

Design and upgrade walls yourself in no time at all. Glue the 6 profiles in the Wall Panel Kit, MDF raw or MDF white foiled, to the wall as desired, seal the joints with acrylic and then paint the wall in the desired colour. The wow factor is complete!

#### Product advantages:

- MDF skirting boards uncoated or coated in white film with paintable foil.
- Two sizes:  
62 x 8 x 1185 mm / 2-7/16" x 5/16" x 45-5/8"  
94 x 8 x 1185 mm / 3-11/32" x 5/16" x 45-5/8"
- Practical 6-piece packaging.
- Ideal for creative wall design.
- Easy to combine with profiled solid wood mouldings.

#### Fields of application:

- Living room - ideal for 'home office'
- Wardrobe and hallway
- Bedroom
- children's room



WE. KNOW. WOW!





Flat Pofile



Half-round-bead



S0290



S0202



S0031



S0403



### Useful extension

Numerous solid wood mouldings can be used to create further fillings within the rectangles created, or the solid mouldings can also be used instead of the MDF mouldings to create beautiful patterns on the wall.

#### Processing is the same:

- Measure
- Cutting to size
- Glueing
- Filling
- Painting

# Discover our wider range

## FN FOILED PROFILES

Foiled mouldings are usually laid to laminate flooring. The reason is obvious: the same materials react in the same way to light and moisture. A wide range of shapes and decors leave almost nothing to be desired, especially when it comes to matching the decor of the skirting to the floor. In-house digital printing makes it possible!



## FN SOLID WOOD PROFILES

Wood in its most natural form, cut and planed, raw or varnished, sustainable and destined to last forever: these are our solid wood profiles, made from hardwood or softwood. Real, natural and grounded. Whether you need a resilient skirting board, wood for crafts for everyone and everywhere in the house, or old wood for a one-of-a-kind ambience.



## FN VENEERED PROFILES

A skirting board provides the perfect finish between the floor and the wall. The necessary expansion joint is stylishly and elegantly concealed and the profile, ideally in the same décor as the floor, completes the room. Veneered profiles are usually laid with parquet floors. The reason is obvious: the same materials react in the same way to light and moisture.



## FN FLOOR ACCESSORIES

Clips, corners and numerous other accessories are indispensable for quick and easy moulding installation. The mouldings are all provided with functional grooves into which various clips, fixing rails or holders for corner pieces can be inserted. The aim is always the same: to make installation as easy and uncomplicated as possible for the customer.



## FN WHITE PROFILES

White skirting boards are modern, elegant, stylish and very much in fashion. We offer an extensive variety of different materials and surfaces as well as shades of white. The following pages provide an overview of this product range. Find the perfect version for your market.



## FN FLOORING PROFILES

When installing flooring, each room is usually laid as a separate area. During this process, an expansion joint should be planned under every door. And if the floor areas become too large, they should also be separated by expansion joints. If there are different coverings in the individual rooms, such as tiles, laminate flooring, parquet flooring or LVT flooring with different floor heights, it is essential to cover the joints that are created as a result.



## FN FUNCTIONAL AND WATERPROOF PROFILES

If the standard no longer fits or special challenges need to be overcome, FN Neuhofer offers a selection of special solutions for a wide range of applications. And for LVT or waterproof floors, there are matching waterproof skirting boards, decorated to match the floor or simply in white.



## FN LIVING

Modern wall design with additional benefits is important in today's fast-paced and noisy world. Acoustic panels create peace and quiet in your own home, while various wall panelling systems enhance the room and create a cosy ambience. And the DIY concept is not neglected either. You can fill, glue, paint and realise your own creativity.





All dimensions and performance of the products stated in the product catalogue are to be regarded as approximate. The stated dimensions and performance of the products are non-binding; this applies in particular to their quality, colour and design (grain, surface, etc.). Furthermore, we expressly reserve the right to make any deviations from the products shown in the product catalogue; the offer and order confirmation are exclusively authoritative, based on the General Terms and Conditions (see <https://www.fnprofile.com/de/verkaufs-und-lieferbedingungen-01-01-2022.html>). The customer can therefore derive no rights - of any kind whatsoever - from pictorial representations and/or specified dimensions and services in accordance with this product catalogue.

Printing and typesetting errors and mistakes excepted. 01/25

NEUHOFER HOLZ GMBH  
 A-4893 Zell am Moos, Haslau 56, Tel.: +43 (0)6234/8500-0,  
[office@fnprofile.com](mailto:office@fnprofile.com), [www.fnprofile.com](http://www.fnprofile.com)



Here you can find our social media channels



The mark of responsible forestry